

## SKMU PG13,5-MS

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

### Similar to illustration



In addition to cable glands for a wide range of applications, the product portfolio is rounded off by plugs, pressure compensation elements, adaptors and the corresponding accessories such as locknuts, sealing rings, flat washers and earthing rings.

### General ordering data

|            |                                                                       |
|------------|-----------------------------------------------------------------------|
| Version    | SKMU MS (brass locknut), Locknut, PG 13.5, 3 mm, Brass, nickel-plated |
| Order No.  | <a href="#">169410000</a>                                             |
| Type       | SKMU PG13,5-MS                                                        |
| GTIN (EAN) | 4008190872267                                                         |
| Qty.       | 100 pc(s).                                                            |

## SKMU PG13,5-MS

Weidmüller Interfaces GmbH &amp; Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

## Technical data

## Dimensions and weights

Net weight 2.9 g

## General information

|                 |                      |                  |          |
|-----------------|----------------------|------------------|----------|
| AF size 1       | 23 mm                | Cable glands     | PG 13.5  |
| External thread | PG 13.5              | Halogen          | No       |
| Internal thread | PG 13.5              | Length of thread | 3 mm     |
| Material        | Brass, nickel-plated | O.D.             | 24.26 mm |
| Pitch of thread | 1.41 mm              | Thickness        | 3 mm     |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000940    | ETIM 7.0    | EC000940    |
| ETIM 8.0    | EC000940    | ECLASS 9.0  | 27-14-44-24 |
| ECLASS 9.1  | 27-14-44-24 | ECLASS 10.0 | 27-14-44-24 |
| ECLASS 11.0 | 27-14-44-24 | ECLASS 12.0 | 27-14-08-05 |

## Environmental Product Compliance

|            |                                      |
|------------|--------------------------------------|
| REACH SVHC | Lead 7439-92-1                       |
| SCIP       | f350dea6-3de1-42c5-a935-c4eb3e9d5e3c |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                  |                                          |
|------------------|------------------------------------------|
| Engineering Data | <a href="#">WSCAD</a>                    |
| Catalogues       | <a href="#">Catalogues in PDF-format</a> |
| Brochures        |                                          |

**Data sheet**

**SKMU PG13,5-MS**

**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

[info@weidmueller.com](mailto:info@weidmueller.com)

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

