

Detailed information for: S2C-UA 110 AC

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

[Print...](#)
[Print to Pdf...](#)

Data Sheet Documentation

S2C-UA 110 AC

General Information

Extended Product Type:	S2C-UA 110 AC
Product ID:	2CSS200911R0004
EAN:	8012542840008
Catalog Description:	S2C-UA 110 AC - Undervoltage release
Long Description:	The S2C-UA 110 AC undervoltage release has the function to protect the load in case of a voltage drop included between 70% and 35% of its rated value. Positive safety (device tripping when the voltage is disconnected) emergency stop by means of a button. Suitable for MCBs S200 series, RCCBs F200 series and RCBOs DS201, DS202C, DS200 series. It can be used with MCBs SN201 series by means of SN201-IH interface module. Rated voltage: 110V a.c.



Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Accessories for Miniature Circuit Breakers MCBs » Undervoltage Releases

Ordering

EAN:	8012542840008
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85389099

Dimensions

Product Net Width:	0.018 m
Product Net Height:	0.085 m
Product Net Depth / Length:	0.074 m
Product Net Weight:	0.090 kg

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width: 0.125 m

Package Level 1 Height: 0.035 m

Package Level 1 Depth / Length: 0.11 m

Package Level 1 Gross Weight: 0.1 kg

Package Level 1 EAN: 8012542840008

Environmental

RoHS Status: Following EU Directive 2011/65/EU

Additional Information

Product Main Type: S2C-UA

Product Name: Undervoltage release

Suitable For: S200, SN201, F200, DS201, DS202C, DS200

Suitable for Product Class: Miniature Circuit Breakers MCBs
Residual Current Devices RCDs
Residual Current Breakers with Overload Protection RCBo

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: [2CSC400002D0209](#)

Declaration of Conformity - CE: [9AKK106713A5575](#)

Environmental Information: [document not needed](#)

Instructions and Manuals: [9AKK107045A1514](#)

Classifications

ETIM 4: EC000042 - Miniature circuit breaker (MCB)

ETIM 5: EC001286 - Auxiliary contact unit for distribution board

ETIM 6: EC001286 - Auxiliary contact unit for distribution board

Object Classification Code: Q

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)

Contact information

What would you like to do?

I need more information

ABB Sales

Submit your inquiry

Country / region

United States of America ▼

Name

Company

E-Mail

Phone

Your local ABB Sales Team

Name

Customer Support

Zip code

Your message

[→ Privacy policy](#)

Cancel

Send message

▲ Close