



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cavity Plug**
Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**
Primary Product Color: **Black**
Operating Temperature (Max): **120 °C [248 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Cavity Plug
----------------------------	-------------

Body Features

Primary Product Color	Black
-----------------------	-------

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operating Temperature (Max)	120 °C[248 °F]

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Box
------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1802162-4
MATENET,1-PORT,90DEG,SLD HDR, COD D



TE Part # 2354957-1
Matenet Sealed Inliner Assy, Code A



TE Part # 1802162-1
MATENET,1-PORT,90DEG,SLD HDR ASSY,COD A



TE Part # 1802162-3
MATENET,1-PORT,90DEG,SLD HDR ASSY,COD C



TE Part # 2344044-2
2 PORT HDR SEALED MATENET
ASSY, COD B/C

TE Part # 541906-1
APPLICATOR MATENET FIXATION
ELEMENT-DC

TE Part # 1802162-2
MATENET,1-PORT,90DEG,SLD HDR
ASSY,COD B

TE Part # 1802162-9
MATENET,1-PORT,90DEG,SLD HDR
ASSY,COD Z

TE Part # 2344044-1
2 PORT HDR SEALED MATENET
ASSY, COD A/B

TE Part # 2354957-2
Matenet Sealed Inliner Assy, Code B

TE Part # 2348652-1
SIMPLE PLUG HOUSING SEALED,
MATENET

TE Part # 1802162-7
MATENET,1-PORT,90DEG,SLD HDR
ASSY,COD J

TE Part # 1802162-5
MATENET,1-PORT,90DEG,SLD HDR,
COD E

TE Part # 2344044-3
2 PORT HDR SEALED MATENET
ASSY, COD E/J

Customers Also Bought

TE Part #NB10746001
ATUM-32/8-0-85MM

TE Part #66099-4
III+ PIN,1-16,30AU/FL,LP

TE Part #141879-1
250 FASTON,TAB,BR

TE Part #7-1393303-3
V23134J0052D642-EV-CBOX

TE Part #1564411-1
SLIDE,TAB HSG GROUP E

TE Part #1718329-1
ADAPTER FOR TAB HSG 39 POS,62P

TE Part #2112301-1
PROTECTION CAP, FOR REC.HSG
GROUP C

TE Part #2315834-3
6POS,HSD DIA 0.6,HDR ASSY,90DEG,
COD C

Documents



Product Drawings

BLIND PLUG SEALED, MATENET, ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2348651-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2348651-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2348651-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

DATA CONNECTIVITY SOLUTIONS

English

Product Specifications

Application Specification

English