




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Operating Temperature Range: -40 – 140 °C [-40 – 284 °F]

Primary Product Color: **Green**

Primary Product Material: **Silicone Rubber**

Operating Temperature (Max): 140 °C [284 °F]

Contains Lubricant: **Yes**

Features

Body Features

Primary Product Color	Green
Primary Product Material	Silicone Rubber

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
Operating Temperature (Max)	140 °C[284 °F]

Other

Contains Lubricant	Yes
--------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006



Current ECHA Candidate List: JUNE 2025 (250)
Candidate List Declared Against: JUNE 2025 (250)
Does not contain REACH SVHC

Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 9-2331355-1
HD MATEnet 1+6 REC. HSG ASSY, GRP D



TE Part # 2348741-2
HD MATEnet 3+0 TAB HSG ASSY, GRP E



TE Part # 2348741-1
HD MATEnet 3+0 TAB HSG ASSY, GRP E


Also in the Series | Heavy Duty Sealed Connector Series




Automotive Housings(221)



Connector Seals & Cavity Plugs(4)



Data Connectivity Headers(12)



Other Automotive Connector Accessories(39)

Customers Also Bought



 TE Part #2-1703930-4 NANOMQS, RECEPTACLE TERMINAL	 TE Part #1-2112891-2 36POS,TAB 1.5X0.6,TAB HSG,ASSY	 TE Part #2141360-2 HANDHOLD,CRIMP BUSHING	 TE Part #2292862-3 AS16,CAP BACKSHELL KIT,ST,04P, NC12
 TE Part #2302450-1 MATENET, FEMALE INSERT MODUL, BLACK	 TE Part #2302452-3 MATENET, FIXATION ELEMENT	 TE Part #2348770-2 HD MATEnet - COVER FOR SWS	 TE Part #2348771-1 HD MATEnet SWS
 TE Part #2348771-2 HD MATEnet SWS	 TE Part #9-2367346-1 SWS,HSD,CVTY DIA,RECTANGULAR		

Documents

Product Drawings
HD MATEnet BLIND PLUG
English
HD MATEnet BLIND PLUG
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_2356256-1_A.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_2356256-1_A.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_2356256-1_A.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages
DATA CONNECTIVITY SOLUTIONS

English

Product Specifications
Application Specification

English