



5-6450860-0 Product Details

[Share](#) | [Print](#) | [Email](#)


MULTI-BEAM XL and MULTI-BEAM XLE Connectors

MBXLE VERT RCPT 3HDP+1LP+24S+1LP+3HDP

5-6450860-0

TE Internal Number: 5-6450860-0

✔ Active

[View 3D PDF](#)

Product Highlights [View All](#)

- Product Series = XLE
- Board-to-Board
- Connector Assembly
- Connector Style = Receptacle
- Contact Type = Socket

[Pricing & Availability](#)

[Request Sample](#)

[Add to My Part List](#)

[Buy Product through Distributor](#)

Feedback

[Documents](#) | [Features](#) | [Compliance](#)

Please Note:

Use the Product Drawing for all design activity

Product Type Features	
Product Series [?]	XLE
Connector Type	Connector Assembly
Mount Angle [?]	Vertical
Mating Type [?]	Blindmate
PCB Mount Retention [?]	With
PCB Mount Retention Type [?]	Boardlock(s)
Guides	With

Electrical Characteristics	
Voltage Rating (Signal) (VAC)	60
Voltage Rating (Power) (VDC)	200

Termination Features	
Termination Style [?]	Press Fit
Termination Post Length (mm [in])	3.43 [0.135]

Body Features	
Sequencing [?]	Yes

Contact Features	
Contact Type	Socket
Contact Material (Power)	High Conductivity Copper
Contact Material (Signal)	High Conductivity Copper
Contact Plating, Mating Area, Material	Noble Metal

Housing Features	
Connector Style	Receptacle
Housing Material	High Temperature Thermoplastic
Centerline, DC Module (mm [in])	5.08 [0.200]
Centerline, Matrix (mm [in])	2.54 x 2.54 [.100 x .100]

Configuration Features	
Total Number of DC Power [?]	8
Total Number of AC Power [?]	0
Total Number of Coax	0
Total Number of Signal [?]	24
Connector Configuration Orientation	Right-to-Left
Mating Functionality	Mate First-Break Last
Connector Contact Configuration (No. of Pos./Type)	4/DC Power, 24/Signal, 4/DC Power

Industry Standards	
RoHS/ELV Compliance [?]	RoHS compliant, ELV compliant
Lead Free Solder Processes [?]	Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
RoHS/ELV Compliance History	Always was RoHS compliant

Operation/Application	
Application Use	Board-to-Board

Other	
Brand	AMP
Comment	For additional configurations available, contact Tyco Electronics.

Related Products

Not quite the product you're looking for?

[Find Similar Products](#)

[View Part in Product Feature Selector](#)

[Check for Tooling](#)

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [Global Accessibility Statement](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

Keep Me Informed

