

5148411 -5 Product Details

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



5148411 -5

[Active](#)

Eurocard Type M

[Always EU RoHS/ELV Compliant](#) ([Statement of Compliance](#))

Product Highlights:

- ? Product Series = Type M
- ? Connector
- ? Mating Type = Plug
- ? 78 Signal Contacts
- ? 2 Power or Coaxial Contacts

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [View Mating Products \(8\)](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [ASSEMBLY, PIN, RIGHT ANGLE, TYPE M, EUROCARD, LEAD -F...](#) (PDF, English)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ? [Product Line Information](#)

Additional Product Images:

- ? [Recommended PC Board Hole Pattern](#)

Related Products:

- ? [Tooling](#)
- ? [Mating Products \(8\)](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Series = Type M
- ? Product Type = Connector
- ? [Mating Type](#) = Plug
- ? [Mount Angle](#) = Right Angle
- ? [Post Type](#) = Solder Post
- ? [DIN Level](#) = II
- ? Loaded with Single Contacts Only = Yes
- ? Color = Gray

Termination Related Features:

- ? [Termination \(Solder\) Post Length \(mm \[in\]\)](#) = 2.65 [0.104]
- ? Solder Tail Contact Plating = Tin

Body Related Features:

- ? Number of Signal Contacts = 78
- ? Rows Loaded = A, B, C

Contact Related Features:

- ? Number of Power or Coaxial Contacts = 2
- ? Contact Type = Coaxial, Power
- ? Contact Material = Copper Alloy
- ? Contact Mating Area Plating Material = DIN 41612 Class 2

Housing Related Features:

- ? Housing Material = Polymer
- ? Housing Flammability Rating = UL 94V -0

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Operation/Application:

- ? Application = Standard

Other:

- ? Brand = AMP