



STOP Proceed With Caution Sign

STOP Proceed With Caution Sign



Product Highlights

Sign Size (H x W):

24" x 24"

Material:


Polystyrene

Part Number:

124561

ADD TO CART

1



Add To Favorites

People Also Viewed



Overview

B-401 plastic signs from Brady® are ideal for use in light duty industrial, utility, commercial and institutional environments.

- High impact polystyrene with protected graphics
- Recommended for both indoor and outdoor use
- Good abrasion and chemical resistance
- Service temperature of -40°F to 175°F (-40°C to 80°C)

Specifications

Material Number	B-401
Country of Origin	US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney.

Catalog Page #	191
Dimensions	24 in H x 24 in W x 0.06 in D
UOM	Each
Illumination	Not Illuminated
Indoor or Outdoor Use	Outdoor Use
Laminated	Not Laminated
Maximum Service Temperature °F	176 °F
Minimum Service Temperature °F	-40 °F
PSPA Photoluminescence Class	Not Illuminated
Product Number	124561
UPC	754473810061
Reverse Legend	No Reverse Text
Sign Size (H x W)	24" x 24"
Thickness	0.0591 in
UNSPSC	55121710
Coating Material	Clear Overcoat
Color	White on Red
Header	STOP
Language	English
Material	Polystyrene
Material Properties	Rigid
Meets Industry Standards - Signs	ANSI Z53.1-1967
Mounting Type	Post Mounting
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant
Reverse Header	No Reverse Header
Shape	Octagon
Text Legend	PROCEED WITH CAUTION

Solutions

[Floor Marking Guide](#)

Services

[Lockout Tagout Services](#)

Help

[Contact Us](#)

Resources

[Find a Distributor](#)

GHS Label Compliance
Lockout Tagout Compliance
Arc Flash Labeling Requirements
Cable and Wire Label Options
Product and Barcode Labeling

Arc Flash Services
Confined Space Services
Software Programming & Integration
Label Template & File Conversion
Printer Use & Training
Printer Preventative Maintenance
Toll and Custom Coating
Authentication & Tracking Services

Website Feedback
Knowledge Center
Printer Drivers & Firmware
Brady Software Updates
Safety Data Sheets
Technical Data Sheets
WEEE-RoHS Compliance
Product Certification
Printer Registration

Design Custom Safety Signs
Create Custom THT Labels
Printer Selection Tool
Label Selection Tool
Digital Catalog
Request a Catalog
Interactive Facility Map
EPA e-Manifest Update

Corporate **Other BradyContact**

[About](#)

[Careers](#)

[Investors](#)

[Privacy](#)

[Policy](#)

[Terms and](#)

[Conditions](#)

[Terms of](#)

[Use](#)

[ISO](#)

[Certificates Solutions](#)

Sites

[Distributor](#)

[Portal](#)

[International](#)

[Sites](#)

[Safety](#)

[Services &](#)

[Software](#)


[Brand](#)

[Protection](#)

[Solutions](#)

6555 W.
Good Hope
Rd.
Milwaukee,
WI 53223
Phone: 888-
250-3082
Hours: 7am-
6pm CT
Monday -
Thursday;
Friday 7am-
5pm CT

Brady (NYSE:BRC) is a manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.



2019 © Brady Worldwide, Inc.