



[Search Only Products /](#)

EMERGENCY EXIT ONLY DOOR ALARM WILL SOUND Sign

# EMERGENCY EXIT ONLY DOOR ALARM WILL SOUND Sign



## Product Highlights:

**Material:**

Fiberglass

**Dimensions:**

10 in H x 14 in W x 0.1 in D

**UOM:**

Each

**Color:**

Red on White

**Part Number:**

73793

**ADD TO CART**

1



[Add To Favorites](#)

## Overview

Extremely durable B-120 Premium Fiberglass will not chip, fade, rust, shatter or peel for up to 25 years.

- Graphics are permanently embedded within the sign panel, allowing for use in the most severe environments
- Excellent chemical and abrasion resistance
- Ideal for both indoor and outdoor applications
- Service temperature of -40°F to 193°F (-40°C to 90°C)

## Specifications

Material Number	<b>B-120</b>
Calculated Country Of Origin	US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney.
California Prop 65	<b>WARNING:</b> Cancer - <a href="http://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>
Dimensions	10 in H x 14 in W x 0.1 in D
UOM	Each
Illumination	Not Illuminated
Indoor or Outdoor Use	Outdoor Use
Maximum Service Temperature °F	194 °F
Minimum Service Temperature °F	-40 °F

PSPA Photoluminescence Class	Not Illuminated
Product Number	73793
UPC	754473737931
Reverse Legend	No Reverse Text
Sign Size (H x W)	10" x 14"
Thickness	0.1 in
Write-On	No
Write-On Area?	No
Color	Red on White
Header	No Header
Language	English
Material	Fiberglass
Material Properties	Flame-retardant, Rigid
Mounting Type	Corner Holes
Reflective Type	Non-Reflective
Resistance Properties	Abrasion-Resistant, Chemical-Resistant
Reverse Header	No Reverse Header
Shape	Rectangle
Text Legend	EMERGENCY EXIT ONLY ....

## Solutions

[Floor Marking Guide](#)  
[GHS Label Compliance](#)  
[Lockout Tagout Compliance](#)  
[Arc Flash Labeling Requirements](#)  
[Cable and Wire Label Options](#)  
[Product and Barcode Labeling](#)

## Services

[Lockout Tagout Services](#)  
[Arc Flash Services](#)  
[Confined Space Services](#)  
[Software Programming & Integration](#)  
[Label Template & File Conversion](#)  
[Printer Use & Training](#)  
[Printer Preventative Maintenance](#)  
[Toll and Custom Coating Authentication & Tracking Services](#)

## Help

[Contact Us](#)  
[Website Feedback](#)  
[Knowledge Center](#)  
[Printer Drivers & Firmware](#)  
[Brady Software Updates](#)  
[Safety Data Sheets](#)  
[Technical Data Sheets](#)  
[WEEE-RoHS Compliance](#)  
[Product Certification](#)  
[Printer Registration](#)

## Resources

[Find a Distributor](#)  
[Design Custom Safety Signs](#)  
[Create Custom THT Labels](#)  
[Printer Selection Tool](#)  
[Label Selection Tool](#)  
[Digital Catalog](#)  
[Request a Catalog](#)  
[Interactive Facility Map](#)  
[EPA e-Manifest Update](#)

- [About](#)
- [Careers](#)
- [Investors](#)
- [Privacy Policy](#)
- [Terms and Conditions](#)
- [Terms of Use](#)
- [ISO Certificates](#)
- [Sites](#)
- [Distributor Portal](#)
- [International Sites](#)
- [Safety Services & Software](#)
- [Brand Protection Solutions](#)

6555 W. Good Hope Rd. Milwaukee, WI 53223  
Phone: 888-250-3082  
Hours: 7am-6pm CT  
Monday - Thursday;  
Friday 7am-5pm CT

manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.



2018 © Brady Worldwide, Inc.