

» SWITCHES AND CONTROLS

» CIRCUIT PROTECTION

**Hydraulic Magnetic Circuit Breakers**

- A-Series
- B-Series
- TB-Series
- C-Series Remote Operated
- C-Series
- CX-Series
- D-Series
- E-Series**
- F-Series
- G-Series
- H-Series
- L-Series
- J-Series
- M-Series
- MS-Series
- N-Series

- Thermal Circuit Breakers
- Equipment Leakage & Ground Fault Circuit Breakers

» OCTOPLEX®

» POWER DISTRIBUTION UNITS

» CUSTOM SOLUTIONS

# E-SERIES



**Product Type:**

Hydraulic Magnetic Circuit Breaker


**Description:**

Carling Technologies' E-Series hydraulic magnetic circuit breakers are ideally suited for higher current and voltage applications. They offer front and back mounting, screw and stud terminals, and heavy-duty box wire connectors for solid wire or a pressure plate connector for standard wire. A Power Selector device is also available. Certified as a supplementary protector and as a manual motor controller.

1- 6 poles; ratings from .1-100 amps, up to 600VAC or 125VDC; UL listed, UL recognized, CSA and VDE certified.

[Download Datasheet](#)

[Request a Quote or Sample](#)



## Specs

<b>Certifications</b>	UL recognized, UL Listed, CSA, VDE
<b>Number of Poles</b>	1-6 poles
<b>Available Delays</b>	Instant, Short, Medium, Long (motor loads), Hi-Inrush, AC or DC
<b>Maximum Current and Voltage Ratings</b>	UL Listed: .10-100A @ 240VAC, 125VDC UL Recognized: 0.02-100A @ 277VAC,



## Find a Rep/Distributor

United States:

Select State ▼

Select State ▼

International:

Select Country ▼

Select Country ▼



## Part Search

Select Category ▼

Select Category ▼

Enter Part Number:

Enter Part Number


[Submit](#)


	125VDC, 1 pole 0.02-100A @ 600VAC, 2 pole 1 phase, 3 pole 3 phase
<b>Maximum Interrupting Capacity</b>	5,000A @ 125VDC 5,000A @ 277VAC 10,000A @ 600VAC w/fuse back up
<b>Auxiliary Switch Ratings</b>	10.1A @ 250VAC 0.1A @ 125VAC (gold contacts) 5A @ 30VDC
<b>Available Circuits</b>	Series, Shunt, Relay, Switch Only, Series w/Remote Shutdown
<b>Actuator Style</b>	Handle (1 per pole)
<b>Terminal Options</b>	10-32 Studs 10-32 Screw 1/4-20 Studs 1/4-20 Screw Box Wire Connector Box Wire Connector w/pressure plate Combinations of above for line/load requirements
<b>Mounting Method</b>	Rear Mounted or Front Panel Mounted
<b>Value Added</b>	Custom actuator colors Non-standard current ratings

---

## Resources

### Circuit Breakers - Hydraulic Magnetic

 [Accessories A-B-C-D Series \[pdf\]](#)

 [Circuit Breaker Time Delays \[pdf\]](#)

---

## Applications

Ideal for higher current and voltage applications  
Renewable Energy Systems  
Military  
Industrial Controls  
Generators  
Commercial HVAC  
EV Charging Systems

---

## 3D Files

FIND A REP/DISTRIBUTOR      CONFIGURIT      PRODUCT SELECTOR      PRIVACY POLICY      SITEMAP

**INDUSTRIES**

- [On/Off Highway](#)
- [Marine](#)
- [Renewable Energy](#)
- [Telecom/Datacom](#)
- [Military](#)
- [More Industries](#)

**PRODUCTS**

- [Switches and Controls](#)
- [Circuit Protection](#)
- [OctoPlex®](#)
- [Power Distribution Units](#)
- [Custom Solutions](#)

**RESOURCE CENTER**

- [eLibrary](#)
- [FAQ](#)
- [Glossary of Terms](#)
- [Warranty Policy](#)
- [Terms & Conditions](#)
- [Octoplex Warranty](#)
- [Product Learn More](#)
- [Environmental, Quality & Supplier Information](#)
- [Configurit](#)
- [Product Selector](#)

**COMPANY PROFILE**

- [Company History](#)
- [Product History](#)
- [Quality Mission](#)
- [Code of Conduct](#)
- [Corporate Locations](#)
- [Career Opportunities](#)
- [News](#)
- [Events](#)

**CONTACT US**

- [Quote & Sample Request Form](#)
- [General Comments / Questions Form](#)
- [Web Site Comment Form](#)
- [Global Locations](#)
- [Find a Rep / Distributor](#)

