




Automotive Parts > Automotive Connector Accessories > Other Automotive Connector Accessories > NTSEAL connector Fixing Rings



Primary Product Color: **Gray**

Primary Product Material: **PBT GF30**

Automotive Connector Accessory Type: **Ring**

Operating Temperature Range: **-40 – 125 °C [-40 – 257 °F]**

[All NTSEAL connector Fixing Rings \(8\)](#)

Features

Product Type Features

Automotive Connector Accessory Type	Ring
-------------------------------------	------

Body Features

Primary Product Color	Gray
Primary Product Material	PBT GF30

Usage Conditions

Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006



Current ECHA Candidate List: FEB 2026 (253)
Candidate List Declared Against: JUNE 2025 (250)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-J58-NHMT
NTSEAL Pin Housings for Male Terminals.

Also in the Series | DEUTSCH NTSEAL

 Automotive Housings(84)	 Automotive Seals & Cavity Plugs(5)	 Connector Seals & Cavity Plugs(5)	 Other Automotive Connector Accessories(10)
--	--	--	---

Customers Also Bought



TE Part #2366494-1
48POS, HYBRID, SOC HSG ASSY, SLD, COD A

TE Part #2-2366509-1
48POS, HYBRID, PIN HSG ASSY, SLD, COD A

TE Part #CAT-J58-NFR
NTSEAL connector Fixing Rings

TE Part #2373921-3
CVTY PLUG, PIN DIA 2.5, CVTY DIA, 2.5, BLU

TE Part #CAT-J58-NBAC
NTSEAL connector Backshells and Caps

TE Part #2452956-1
AS16 BACKSHELL, 1P, SMOOTH EXIT, NO WIND

Documents

Product Drawings
FIX RING, CONN KIT

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_2366517-2_B.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_2366517-2_B.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_2366517-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
NTSEAL Sealed Wire-to-Wire Connectors

English

Product Specifications
Application Specification

English