



Switches > Toggle Switches



Configuration (Pole-Throw): **Double Pole - Single Throw**

Operating Function: **On On**

Number of Positions: **2**

Contact Current Rating: **15 A**

Operating Voltage: **28 VDC**

Features

Product Type Features

Sealed Device	Yes
Switch Connection Type	Quick Connect Terminal
Toggle Style	Lever
Switch Type	Toggle Switch

Configuration Features

Configuration (Pole-Throw)	Double Pole - Single Throw
Operating Function	On On
Number of Positions	2

Electrical Characteristics

Contact Current Rating	15 A
Operating Voltage	115 VAC

Body Features

Actuator Finish	Thermoplastic
Product Orientation	Horizontal
Bushing Style	Threaded
Bushing Thread Size	M12 x .75

Contact Features

--	--



Contact Base Material	Copper
Switch Contact Plating Material	Silver Tin Oxide

Mechanical Attachment

Product Mount Type	Panel Mount
--------------------	-------------

Housing Features

Process Sealed	Yes
----------------	-----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: FEB 2026 (253) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Pb (3.5% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # K1002979
Toggle Switch 07-1-2-17



TE Part # K1002983
Toggle Switch 07-2-2-17


Also in the Series | KISSLING Series 07



Other Automotive Connector Accessories(1)



Switch Seals & Accessories(7)



Toggle Switches(98)

Customers Also Bought



TE Part #K1006083
Relay 30-313-12



TE Part #K1002974
Toggle Switch 07-1-2-12



TE Part #K1138460
Batt. Disconnect 35-514-231-R-A5-901



TE Part #K1012918
Relay 26-70-04



TE Part #K1158023
Actuation Protection 24-63-029 BX



TE Part #K1130516
Battery Disconnect 35-221-100-R




TE Part #K1145356
Rotary switch DS-221-RT2



TE Part #K1138411
Relay 300A 24V 29-333-12



TE Part #K1060046
Relay 30-211-02



TE Part #K1013135
Angle Connection Typ 26-56-52



Documents

Product Drawings

Toggle Switch 07-2-2-13

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_07-2-2-13_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_07-2-2-13_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_07-2-2-13_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

KISSLING TOGGLE SWITCH Series 07

English