



# 3M™ Scotchlok™ Pin Non Insulated, 50/bottle, MU10-55PX-A

Part Number MU10-55PX-A, 3M ID 80611464001, UPC 00051128587546

- Overview
- Specifications
- Details
- Resources



- Non-insulated, butted-seam barrel ensures a secure fit and offers reliable performance
- Beveled mouth offers easy insertion of wires
- Provides quick connection for set screws or clamps that are used to make electrical contact
- Accommodates wire sizes 12 to 10 AWG

[View all details](#)

[View Images](#)

## Specifications

<b>Barrel Length</b>	<b>0.25 Inch</b>
<b>Barrel Style</b>	<b>Butted</b>
<b>Brand</b>	<b>Scotchlok</b>
<b>Conductor Size</b>	<b>12 - 10 AWG</b>
<b>Insulation Material</b>	<b>Non-Insulated</b>
<b>Length</b>	<b>0.81 Inch</b>
<b>Packaging</b>	<b>50 per bottle</b>
<b>RoHS 2011/65/EU Compliant</b>	<b>Yes</b>
<b>RoHS EU Comments</b>	<b>RoHS 2011/65/EU compliant without exemption</b> <a href="#">*Important RoHS information</a>
<b>Solution for</b>	<b>Wireless Network: Infrastructure Accessories</b>
<b>Terminal Type</b>	<b>Pin</b>
<b>Trademark</b>	<b>Scotchlok</b>

## Details

- Non-insulated, butted-seam barrel ensures a secure fit and offers reliable performance
- Beveled mouth offers easy insertion of wires
- Provides quick connection for set screws or clamps that are used to make electrical contact
- Accommodates wire sizes 12 to 10 AWG
- Made of copper for good conductivity and has tin plating for corrosion resistance
- Withstands a maximum temperature of 347 degrees F (175 degrees C) for bare terminals
- 600V-rated for building wire and 1000V for signs, fixtures or luminaires
- UL Listed, CSA Certified and RoHS 2011/65/EU Compliant
- 50/carton, 500/case

3M™ Scotchlok™ Pin Terminal ensures an ideal fit while offering reliable and safe performance. The non-insulated, butted-seam barrel with a beveled mouth that guides the wire into position and withstands a maximum temperature of 347 degrees F (175 degrees C). Copper construction offers good conductivity and a tin-plated finish resists corrosion.

3M™ Scotchlok™ Pin Terminal has a non-insulated, butted-seam barrel with a beveled mouth to guide the wire into position easily. UL Listed, CSA Certified and RoHS 2011/65/EU Compliant.

## Resources

### Catalog

[3M™ Wire Terminals, 2013 Product Catalog \(PDF, 17.1MB\)](#)

### Info

[General Rules for Shelf Life Statements \(VND.MS-EXCEL, 21.5KB\)](#)

### Data Sheets

[3M™ Scotchlok™ Terminals MU18-47P-A, MU14-47P-A, MU10-55P-A \(PDF, 31.0KB\)](#)

### RDS

[3M™ Scotchlok™ Non-Insulated Butted Seam Pin Terminal, MU10-55P-A, MU14-47P-A & MU18-47P-A \(PDF\)](#)

## 3M United States

### PRODUCTS

[Abrasives](#)  
[Adhesives & Tapes](#)  
[Advanced Materials](#)  
[Films](#)  
[Filtration](#)  
[View All Products](#)

### INDUSTRIES

[Automotive](#)  
[Commercial Solutions](#)  
[Communications](#)  
[Consumer](#)  
[Design & Construction](#)  
[Electronics](#)  
[Energy](#)  
[Health Care](#)  
[Manufacturing](#)  
[Mining, Oil & Gas](#)  
[Safety](#)

### BRANDS

[Post-it](#)  
[Scotch](#)  
[Scotch-Brite](#)  
[Command](#)  
[Filtrete](#)  
[Nexcare](#)  
[ScotchBlue](#)

### HELP

[Help Center](#)  
[Site Map](#)

### REGULATORY

[SDS Search](#)  
[Transport Information Search](#)  
[RoHS & REACH Information Search](#)  
[California Supply Chains Act Disclosure \(PDF, 84KB\)](#)

### NEWS

[News Center](#)  
[Particles by 3M](#)  
[Press Releases](#)

### ABOUT US

[About 3M](#)  
[3M Careers](#)  
[Investor Relations](#)  
[Partners & Suppliers](#)  
[Government Customers](#)  
[Sustainability](#)

[Transportation](#)

[UK Modern Slavery Act Statement \(PDF, 169KB\)](#)

[3Mgives](#)

[More Regulatory & Compliance Information](#)

**SEARCH 3M**

 

**FOLLOW US**



[United States](#) [English](#)



[Legal](#) | [Privacy](#) | [DMCA](#)  
© 3M 2018. All Rights Reserved.

The brands listed above are trademarks of 3M.