



Part Number : [2014471400](#)
Product Description : Nano-Fit Crimp Terminal,
Male, 2.54µm Matte Tin Plating, Lubricated, 26-24 AWG
Series Number : 201447
Status : Active
Product Category : Crimp Terminals



Documents & Resources

Drawings

- [2014471400_sd.pdf](#)
- [2014471000-PK-000.pdf](#)
- [STEP AP242](#)
- [SOLIDWORKS](#)
- [Creo](#)

Specifications

- [AS-105300-100-001.pdf](#)
- [2014471000-PS-000.pdf](#)
- [2014471000-TS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	 per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)
EU RoHS	Compliant per EU 2015/863

[Compliance Statements](#)

- EU RoHS
- REACH SVHC

- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Crimp Terminals
Series	201447
Description	Nano-Fit Crimp Terminal, Male, 2.54µm Matte Tin Plating, Lubricated, 26-24 AWG
Application	Power, Wire-to-Wire
Product Name	Nano-Fit,Nano-Fit BMI
UPC	191130025046

Electrical

Current - Maximum per Contact	5.0A
Voltage - Maximum	250V AC (RMS)/DC

Physical

Durability (mating cycles max)	25
Gender	Male
Material - Metal	High Conductivity Copper
Material - Plating Mating	Matte Tin
Material - Plating Termination	Matte Tin
Net Weight	0.109/g
Packaging Type	Reel

Plating min - Mating	2.540μm
Plating min - Termination	2.540μm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.30mm
Wire Size (AWG)	24, 26
Wire Size mm ²	N/A

Mates With / Use With

Use with Part(s)

Description	Part Number
Nano-Fit TPA Capable Single Row Plug Housings	<u>200277</u>
Nano-Fit Dual Row TPA Capable Plug Housings	<u>201444</u>
Nano-Fit BMI TPA Capable Plug Housings	<u>224556</u>

Application Tooling

Global

Description	Part Number
Hand Crimp Tool for Nano-Fit Plug Crimp Terminals, 26-24 AWG	<u>2002186500</u>
Extraction Tool for Nano-Fit Crimp Terminals, 26-24 AWG	<u>2002221400</u>
FineAdjust Applicator for Nano-Fit Wire-to-Wire Plug Terminals, 26-24 AWG, UL 1061 Wire	<u>2037023100</u>

Japan

Description	Part Number
S-1 Applicator for Nano-Fit Plug Terminals, 26-24 AWG, UL1061 Wire	<u>2145523710</u>

S-1 Applicator for Nano-Fit Plug Terminals, 26-24 AWG, UL1007 Wire	<u>2145523720</u>
--	-------------------