

## Shock protection - EMLPR (100X30) - 0800362

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Shock protection, Sheet, transparent, unlabeled, mounting type: adhesive, lettering field size: 100 x 30 mm



### Why buy this product

- High level of mechanical and chemical stability
- Extremely thick, yet flexible and transparent label made from halogen-free PU
- Suitable for permanent outdoor use
- Stuck over labels or markers that have been labeled to protect them

### Key Commercial Data

Packing unit	1 STK
Minimum order quantity	10 STK
GTIN	 4 046356 612524
GTIN	4046356612524
Weight per Piece (excluding packing)	12.000 g
Custom tariff number	39199080
Country of origin	Germany

### Technical data

#### Dimensions

Length (b)	30 mm
Width (a)	100 mm

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 90 °C
---------------------------------	------------------

# Shock protection - EMLPR (100X30) - 0800362

## Technical data

### Ambient conditions

Recommended storage conditions	18-26 °C / 60 % relative humidity.
--------------------------------	------------------------------------

### General

Color	transparent
Components	halogen-free
Material	PUR
Number of individual labels	9
Number of individual labels per row	1
Adhesive	Acrylic
Test for substances that would hinder coating with paint or varnish	VW PV 3.10.7:2005-02
Result	Test passed
Test specification weathering-resistance	Following ISO 4892-2:2013-03
Test duration	4000 h
Wipe resistance test result	Test passed
Alternating condensation climate with SO2 test specification	following DIN 50018:2013-05
Climate level	AHT 1.0 S
Cycles	2
Condensation test result	Test passed
Foil strength	210 µm
Marking mounting type	adhesive

## Classifications

### eCl@ss

eCl@ss 4.0	24190219
eCl@ss 4.1	24190219
eCl@ss 5.0	27149103
eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	27149129
eCl@ss 9.0	27400629

### ETIM

ETIM 3.0	EC000761
ETIM 4.0	EC002848
ETIM 5.0	EC001288
ETIM 6.0	EC001288

## Shock protection - EMLPR (100X30) - 0800362

### Classifications

#### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39131504