

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

Your advantages

- ✓ Wide range of SAC... nuts for various different applications
- ✓ The TSD-M... adapters can accommodate the various nuts
- ✓ For the TSD-M... torque screwdrivers, the torque can be custom-set
- ✓ TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm

Key Commercial Data

Packing unit	1 pc
GTIN	
GTIN	4046356590747
Weight per Piece (excluding packing)	20.000 g
Custom tariff number	82079030
Country of origin	Czech Republic

Technical data

Dimensions

Blade height	100 mm
--------------	--------

General

Color	silver
Type	Hexagonal SW4
Material	alloyed tool steel
Test standard	DIN 3126

Standards and Regulations

Test standard	DIN 3126
---------------	----------

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

Technical data

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Classifications

eCl@ss

eCl@ss 10.0.1	21044290
eCl@ss 4.0	21040200
eCl@ss 4.1	21040200
eCl@ss 5.0	21040200
eCl@ss 5.1	21040200
eCl@ss 6.0	21049200
eCl@ss 7.0	21044290
eCl@ss 8.0	21049290
eCl@ss 9.0	21044290

ETIM

ETIM 4.0	EC002498
ETIM 5.0	EC002118
ETIM 6.0	EC002118
ETIM 7.0	EC002118

UNSPSC

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27112832
UNSPSC 18.0	27111701
UNSPSC 19.0	27111701
UNSPSC 20.0	27111701
UNSPSC 21.0	27111701

Approvals

Approvals

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU x- DE.xx08.B.02974
-----	---	--------------------------
