

## Patch cable - VS-PNRJ45-PNRJ45-93B-1,5 - 1406400

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



PROFINET patch cable, shielded, star quad, 22 AWG stranded (7-wire), green, straight RJ45 plug/IP20 to straight RJ45 plug/IP20, length: 1.5 m

PROFINET patch cable



### Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 763424
GTIN	4046356763424
Custom tariff number	85444210
Country of origin	Poland

### Technical data

#### Dimensions

Length of cable	1.5 m
-----------------	-------

#### General data

Number of positions	4
Signal type/category	PROFINET

#### Characteristics head 1

Head type	Plug straight RJ45 / IP20
-----------	---------------------------

#### Characteristics head 2

Head type	Plug straight RJ45 / IP20
-----------	---------------------------

#### Cable

Signal type/category	PROFINET CAT5 (IEC 11801:2002)
----------------------	--------------------------------

## Patch cable - VS-PNRJ45-PNRJ45-93B-1,5 - 1406400

### Technical data

#### Cable

Cable structure	1x4xAWG22/7; SF/TQ
Conductor cross section	0.34 mm <sup>2</sup>
AWG signal line	22
Conductor structure signal line	7x 0.25 mm
Core diameter including insulation	approx. 1.5 mm
Wire colors	White, yellow, blue, orange
External sheath, color	green RAL 6018
Smallest bending radius, fixed installation	60 mm
Smallest bending radius, movable installation	30 mm
Outer sheath, material	PVC
Conductor material	Tin-plated Cu litz wires
Wave impedance	100 Ω ±15 Ω (at 1 ... 100 MHz)

#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Approvals

#### Approvals

---

Approvals


EAC

---

Ex Approvals

---

#### Approval details

EAC		B.00767
-----	---	---------

---