

## Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable clamp for cable diameter of 5 - 7 mm



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	2 pc
Weight per Piece (excluding packing)	12.0 g
Custom tariff number	85389099
Country of origin	Germany

### Technical data

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

#### Mechanical characteristics

External cable diameter	5 mm ... 7 mm
-------------------------	---------------

### Classifications

#### eCl@ss

eCl@ss 4.0	27279002
eCl@ss 4.1	27279002
eCl@ss 5.0	27140908
eCl@ss 5.1	27140908
eCl@ss 6.0	27261290
eCl@ss 7.0	27440290
eCl@ss 8.0	27379201

# Strain relief clamp - HC-M-08-GBIT-LK7 - 1587742

## Classifications

### ETIM

ETIM 3.0	EC000127
ETIM 4.0	EC000127
ETIM 5.0	EC002498

### UNSPSC

UNSPSC 6.01	43172601
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121408
UNSPSC 13.2	39121408

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

### Approval details

EAC
-----

## Drawings

Dimensional drawing



