

## Fuse plug - PV-C-M/F-PRO/F-1500/25-EU - 1622151

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Fuse connector for protecting modules and devices in photovoltaic systems, black, SUNCLIX pin connector pattern, 1500 V/25 A, IP68 (24 h/2 m)

SUNCLIX fuse connector, in the version for 1500 V system voltage

### Product Description

SUNCLIX fuse connector, for 1500 V system voltage, fuse-link nominal current of 25 A, EU version

### Your advantages

- One-piece design
- Robust, easy-to-install fuse element for outdoor use
- High-quality fuse-link
- Degree of protection: IP68 (24 h/2 m)
- 
- 1500 V

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	8 pc
GTIN	
GTIN	4055626130798
Weight per Piece (excluding packing)	82.500 g
Custom tariff number	85354000
Country of origin	Germany

### Technical data

#### Ambient conditions

# Fuse plug - PV-C-M/F-PRO/F-1500/25-EU - 1622151

## Technical data

### Ambient conditions

Degree of protection (when plugged in)	IP66 / IP68 (2 m / 24 h)
Ambient temperature (operation)	-40 °C ... 50 °C

### General

Rated voltage	1500 V
Fuse-link nominal current	25 A DC (Nominal current of the fuse-link)
Fuse adapter nominal current	23 A DC

### Material

Contact material	Cu
Contact surface material	Ag
Flammability rating according to UL 94	V0

### Standards and Regulations


Halogen-free	yes
Flammability rating according to UL 94	V0

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Drawings

Dimensional drawing



## Classifications

eCl@ss

eCl@ss 5.1	27260700
eCl@ss 6.0	27260700
eCl@ss 7.0	27440102
eCl@ss 8.0	27440102

# Fuse plug - PV-C-M/F-PRO/F-1500/25-EU - 1622151

## Classifications

eCl@ss

eCl@ss 9.0	27440107
------------	----------

ETIM

ETIM 5.0	EC002635
ETIM 6.0	EC002635
ETIM 7.0	EC002635

UNSPSC

UNSPSC 13.2	39121409
-------------	----------

## Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

## Approval details

EAC		B.01742
-----	---	---------

---