

Connector assembly frame - HC-SMR-B16 - 1687972

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



HEAVYCON connector assembly frame, for contact inserts of type B16

The illustration shows version HC-SMR- B 6



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	159.8 g
Custom tariff number	85389099
Country of origin	Germany

Technical data

General

Note	For contact inserts B16, BB32, DD72, HS6 and HV6; swiveling frame
Material	PA
Flammability rating according to UL 94	HB
Type	B16

Standards and Regulations

Flammability rating according to UL 94	HB
--	----

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424

Connector assembly frame - HC-SMR-B16 - 1687972

Classifications

eCl@ss

eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	27440206
eCl@ss 9.0	27440206

ETIM

ETIM 3.0	EC002310
ETIM 4.0	EC002310
ETIM 5.0	EC002312

UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	31251501
UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	31251501

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approvals submitted


Approval details

EAC


Drawings

Connector assembly frame - HC-SMR-B16 - 1687972

Dimensional drawing



Dimensional drawing



Schematic diagram

