

## Pressure screw - HC-DS-PG16-T - 1772696


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Pressure screws, with flared cable guard, clamping area 9.5-15 mm, for housing with Pg16 support



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 037345
Weight per Piece (excluding packing)	37.39 g
Custom tariff number	74153300
Country of origin	Germany

### Technical data

#### Dimensions

Clamping range of the strain relief clip	9.50 mm ... 15.00 mm
--	----------------------

#### General

Material, pressure screw	Nickel-plated brass
Thread type on connection side	Pg16

### Classifications

#### eCl@ss

eCl@ss 4.0	27141209
eCl@ss 4.1	27141209
eCl@ss 5.0	27149109
eCl@ss 5.1	27149109

# Pressure screw - HC-DS-PG16-T - 1772696

## Classifications

### eCl@ss

eCl@ss 6.0	27149109
eCl@ss 7.0	27149109
eCl@ss 8.0	27069215

### ETIM

ETIM 2.0	EC000441
ETIM 3.0	EC000441
ETIM 4.0	EC000441
ETIM 5.0	EC000814

### UNSPSC

UNSPSC 6.01	30211808
UNSPSC 7.0901	39121408
UNSPSC 11	39121408
UNSPSC 12.01	39121408
UNSPSC 13.2	39121408

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---

Approval details

EAC
-----

## Drawings

## Pressure screw - HC-DS-PG16-T - 1772696

Dimensional drawing

