

Distributed I/O device - ASI IO ME DIO 4/3 AB - 2741668

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Digital input/output module, degree of protection IP20, 4 digital inputs, 24 V DC, 3 digital outputs, 24 V DC, COMBICON plugs included

Product Features

- 12.5 mm design width
- Optimized for DIN rail mounting
- COMBICON connection technology for the I/Os
- COMBICON connection technology for AS-Interface



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	162.8 g
Custom tariff number	85176200
Country of origin	Indonesia

Technical data

Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
-------------------------	---

Dimensions

Width	22.5 mm
Height	102 mm
Depth	105 mm

AS-Interface

Slave type	A/B slave
AS-i specification	2.1

Distributed I/O device - ASI IO ME DIO 4/3 AB - 2741668

Technical data

AS-Interface

IO code	7
ID1 code	7
ID2 code	0
ID code (hex)	A
ID code (dec.)	10
AS-i profile	S-7.A.0
Required master specification	>= 2.0

Standards and Regulations

Protection class	III, IEC 61140, EN 61140, VDE 0140-1
------------------	--------------------------------------

Classifications

eCl@ss

eCl@ss 4.0	27250302
eCl@ss 4.1	27250302
eCl@ss 5.0	27250302
eCl@ss 5.1	27242604
eCl@ss 6.0	27242604
eCl@ss 7.0	27242604
eCl@ss 8.0	27242604
eCl@ss 9.0	27242604

ETIM

ETIM 2.0	EC001430
ETIM 3.0	EC001599
ETIM 4.0	EC001599
ETIM 5.0	EC001599

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404

Approvals

Approvals

Distributed I/O device - ASI IO ME DIO 4/3 AB - 2741668

Approvals

Approvals

UL Listed / cUL Listed / ASI-Interface / cULus Listed

Ex Approvals

UL Listed / cUL Listed / cULus Listed

Approvals submitted

Approval details

UL Listed 

cUL Listed 

ASI-Interface

cULus Listed 