

Antenna cable - RAD-CON-MCX-RPSMA-EX - 2885621

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Antenna barrier, installation: Class I, Div. 1, Grps. A, B, C, D; Class II, Div. 1, Grps. F, G, frequency range: 0.3G Hz ... 6 GHz, connection: RSMA (male) -> MCX (male), incl. 0.7 m / 2.3 ft. connection cable, UL HazLoc approval

Your advantages

- ✓ Universal use (frequency range of 0.3 ... 6 GHz)
- ✓ Use of standard antennas in the hazardous area of zone 0, 1, and 2

Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	199.600 g
Custom tariff number	85442000
Country of origin	United States

Technical data

Dimensions

Fixed cable length	0.76 m
--------------------	--------

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-40 °C ... 75 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C

General

Connection method	MCX (male)
	RSMA (male)
Screw connection	3/4" NPT
Material for screw connection	Stainless steel

Antenna cable - RAD-CON-MCX-RPSMA-EX - 2885621

Technical data

General

Frequency range	0.3 GHz ... 6 GHz
Impedance	50 Ω
Maximum HF output power P	2 W
Maximum error voltage U _m	250 V DC
Maximum capacity	5.64 nF

Attenuation


Cable, attenuation	0.6 dB @ 900 MHz
	1.3 dB @ 2.4 GHz
	4.8 dB @ 5.8 GHz

Standards and Regulations

UL, USA/Canada	Class I, Div. 1, 2, Groups A, B, C, D Class II, Div. 1, 2, Groups F, G
----------------	---


Drawings

Dimensional drawing



Antenna cable - RAD-CON-MCX-RPSMA-EX - 2885621

Application drawing



Antenna cable - RAD-CON-MCX-RPSMA-EX - 2885621

Classifications

eCl@ss

eCl@ss 4.0	27060805
eCl@ss 4.1	27060805
eCl@ss 5.0	27061805
eCl@ss 5.1	27061800
eCl@ss 6.0	27061800
eCl@ss 7.0	27061805
eCl@ss 8.0	27060310
eCl@ss 9.0	27060310

ETIM

ETIM 2.0	EC000019
ETIM 3.0	EC000019
ETIM 4.0	EC000019
ETIM 5.0	EC001682
ETIM 6.0	EC001682
ETIM 7.0	EC001682

UNSPSC

UNSPSC 6.01	26121608
UNSPSC 7.0901	26121608
UNSPSC 11	26121608
UNSPSC 12.01	26121608
UNSPSC 13.2	26121606