

## Fuse - FUSE 10,3X85 10A PV - 3062770

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Fuse, 10.3 mm x 85 mm, up to 1500 V DC, gPV characteristic

### Your advantages

- 10 x 85 midget fuses for reliable protection of PV modules and their control system
- Use in PV lines with a nominal voltage of up to 1500 V DC
- Designed in accordance with the photovoltaic standard IEC 60269-6

### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 046356 657235
GTIN	4046356657235
Weight per Piece (excluding packing)	16.000 g
Custom tariff number	85351000
Country of origin	Slovenia

### Technical data

#### General

Color	white
Flammability rating according to UL 94	V0

#### Dimensions

Length	85 mm
Diameter	10.3 mm

## Fuse - FUSE 10,3X85 10A PV - 3062770

### Technical data

#### General

Fuse	Midget/10.3 x 85
Connection in acc. with standard	IEC 60269-6
Nominal current $I_N$	10 A
Nominal voltage $U_N$	1500 V DC

#### Standards and Regulations

Connection in acc. with standard	IEC 60269-6
Flammability rating according to UL 94	V0

#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

### Classifications

#### eCl@ss

eCl@ss 4.0	27142000
eCl@ss 4.1	27142000
eCl@ss 5.0	27142000
eCl@ss 5.1	27142000
eCl@ss 6.0	27142000
eCl@ss 7.0	27142002
eCl@ss 8.0	27142002
eCl@ss 9.0	27142002

#### ETIM

ETIM 3.0	EC000035
ETIM 4.0	EC002704
ETIM 5.0	EC002704
ETIM 6.0	EC002704
ETIM 7.0	EC002704

#### UNSPSC

UNSPSC 6.01	30211915
UNSPSC 7.0901	39121514
UNSPSC 11	39121514
UNSPSC 12.01	39121514
UNSPSC 13.2	39121627

## Fuse - FUSE 10,3X85 10A PV - 3062770

### Approvals

Approvals

---

Approvals


EAC

---

Ex Approvals

---

### Approval details

EAC		RU C- DE.A*30.B.01742
-----	---	--------------------------

---