

## Cable clamp - WCC 56 - 3240260

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Cable clamp, for DIN rails

### Your advantages

- ✓ The halogen-free plastic troughs have been designed to be perfectly secure while simultaneously protecting the conductors
- ✓ Individual or bundled cables with a diameter of up to 56 mm can be installed safely and easily
- ✓ The cable clamps provide strain relief

RoHS

### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 pc  |
| Minimum order quantity               | 25 pc   |
| GTIN                                 | <br>4 046356 464529 |
| GTIN                                 | 4046356464529   |
| Weight per Piece (excluding packing) | 126.400 g   |
| Custom tariff number                 | 73269098  |
| Country of origin                    | China   |

### Technical data

#### Dimensions

|                |                 |
|----------------|-----------------|
| Cable diameter | 42 mm ... 56 mm |
|----------------|-----------------|

#### General

|          |            |
|----------|------------|
| Material | Steel      |
| Coating  | galvanized |

### Environmental Product Compliance

# Cable clamp - WCC 56 - 3240260

## Technical data

### Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 23159090 |
| eCl@ss 5.1    | 23140300 |
| eCl@ss 6.0    | 23140300 |
| eCl@ss 7.0    | 23140390 |
| eCl@ss 8.0    | 23140390 |
| eCl@ss 9.0    | 23159090 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000897 |
| ETIM 3.0 | EC000897 |
| ETIM 4.0 | EC000441 |
| ETIM 5.0 | EC000454 |
| ETIM 6.0 | EC000454 |
| ETIM 7.0 | EC000454 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 31162906 |

## Accessories

### Accessories

#### DIN rail

DIN rail perforated - NS 30/15 PERF.2000MM - 3240262



DIN rail perforated, C profile, width: 30 mm, height: 15 mm, similar to EN 60715, material: Steel, galvanized, length: 2000 mm

## Cable clamp - WCC 56 - 3240260

### Accessories

---

---

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>