

Wireless module - RAD-ISM-900-TX-DC - 2867348

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Transmitter as replacement device, for unidirectional, wireless 900 MHz transmission system (America)



Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	615.6 GRM
Custom tariff number	85176990
Country of origin	Canada

Technical data

Dimensions

Width	57 mm
Height	280 mm
Depth	57 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 85 °C
Degree of protection	IP65 transmitter, IP20 receiver

Wireless set

Set contents	Transmitter
--------------	-------------

Wireless path

Direction	Uni-directional
Frequency range	902 MHz ... 928 MHz
Number of channel groups	4
Number of channels per group	63

Wireless module - RAD-ISM-900-TX-DC - 2867348

Technical data

Wireless path

Transmission power	1 W
--------------------	-----

Analog input (sender)

Description of the input	Current input (analog input)
Current input signal	4 mA ... 20 mA
Input resistance current input	< 170 Ω

Digital input (sender)

Input voltage range	5 V AC/DC ... 30 V AC/DC
Switching threshold "0" signal, voltage	max. 1.5 V DC
Switching threshold "1" signal voltage	min. 5 V DC

Supply (sender)

Supply voltage	24 V DC
Supply voltage range	9 V DC ... 30 V DC

General

Conformance	FCC Directive, Part 15.247
	ISC Directive RSS 210
UL, USA / Canada	Class I, Div. 2, Groups A, B, C, D

Classifications

eCl@ss

eCl@ss 4.0	27250312
eCl@ss 4.1	27250312
eCl@ss 5.0	27242208
eCl@ss 5.1	27242208
eCl@ss 6.0	27242208
eCl@ss 7.0	27242208
eCl@ss 8.0	27242208

ETIM

ETIM 2.0	EC000310
ETIM 3.0	EC000310
ETIM 4.0	EC000310
ETIM 5.0	EC000310

UNSPSC

UNSPSC 6.01	30211506
-------------	----------

Wireless module - RAD-ISM-900-TX-DC - 2867348

Classifications

UNSPSC

UNSPSC 7.0901	43223108
UNSPSC 11	39121008
UNSPSC 12.01	43223108
UNSPSC 13.2	43223108

Accessories

Accessories

Adapter cable

Antenna cable - RAD-CON-MCX-N-SB - 2867717

Adapter cable, pigtail 120 cm MCX(m) -> N(f)

Antenna cable - RAD-CON-SMA-N-SS - 2867403



Adapter cable, pigtail 120 cm SMA(m) -> N(m)

Antenna cable - RAD-CON-MCX-MCX-SS - 2867607



Adapter cable, 30 cm, MCX(m) to MCX (m)

Antenna cable - RAD-CON-MCX90-N-SS - 2885207



Adapter cable, pigtail 120 cm 90° MCX(m) -> N(m)

Wireless module - RAD-ISM-900-TX-DC - 2867348

Accessories

Antenna cable - RAD-CON-MCX-RPSMA-EX - 2885621



Adapter cable for Ex zone 1, pigtail 90 cm MCX (m) -> RPSMA (m)

Antenna

Antenna - RAD-ISM-900-ANT-OMNI-5 - 2867199



Omnidirectional antenna, IP65 protection, gain 7 dBi, connection N (female)

Antenna - RAD-ISM-900-ANT-OMNI-FG-3-N - 2867791

Omnidirectional antenna, IP65 protection, gain 5 dBi, connection N (female)



Antenna - RAD-ISM-900-ANT-YAGI-3-N - 2867801



Panel antenna, IP65 protection, gain 5 dBi, cable length 1.5 m, connection N (female)

Antenna - RAD-ISM-900-ANT-YAGI-6.5-N - 2867814



Panel antenna, IP65 protection, gain 8.5 dBi, cable length 1.5 m, connection N (female)

Wireless module - RAD-ISM-900-TX-DC - 2867348

Accessories

Antenna - RAD-ISM-900-ANT-YAGI-6.5-25-AS - 2867827



Panel antenna with surge protection, adapter cable MCX->N and assembly material, IP65 protection, gain 8.5 dBi, cable length 7.6 m, connection N (female)

Antenna - RAD-ISM-900-ANT-YAGI-6.5-50-AS - 2867830



Panel antenna with surge protection, adapter cable MCX->N and assembly material, IP65 protection, gain 8.5 dBi, cable length 15.2 m, connection N (female)

Antenna - RAD-ISM-900-ANT-OMNI-0-6 - 2867160



Omnidirectional antenna, IP65 protection, cable length 2 m, connection MCX (male)

Antenna - RAD-ISM-900-ANT-OMNI-FG-6-N - 2885579

Omnidirectional antenna, IP65 protection, gain 8 dBi, connection N (female)



Coaxial adapter

Antenna splitter - RAD-ISM-900-ANT-4 - 2867050



4-way distributor for antenna signals (antenna splitter), MCX connection (female)

Wireless module - RAD-ISM-900-TX-DC - 2867348

Accessories

Coaxial cable

Antenna cable - RAD-CAB-RG58-10 - 2867364



Antenna extension cable, length: 10 ft

Antenna cable - RAD-CAB-RG58-20 - 2867212



Antenna extension cable, length: 20 ft

Antenna cable - RAD-CAB-RG213-25 - 2867597



Antenna extension cable, length: 25 ft

Antenna cable - RAD-CAB-RG213-40 - 2867377



Antenna extension cable, length: 40 ft

Antenna cable - RAD-CAB-RG213-50 - 2867225



Antenna extension cable, length: 50 ft

Wireless module - RAD-ISM-900-TX-DC - 2867348

Accessories

Antenna cable - RAD-CAB-LMR400-60 - 2867380



Antenna extension cable, length: 60 ft

Antenna cable - RAD-CAB-LMR400-80 - 2867393



Antenna extension cable, length: 80 ft

Antenna cable - RAD-CAB-LMR400-100 - 2867238



Antenna extension cable, length: 100 ft

Antenna cable - RAD-CAB-LMR600-125 - 2885210



Antenna extension cable, length: 125 ft

Antenna cable - RAD-CAB-LMR600-150 - 2885184



Antenna extension cable, length: 150 ft

Wireless module - RAD-ISM-900-TX-DC - 2867348

Accessories

Antenna cable - RAD-CAB-LMR900-200 - 2885197



Antenna extension cable, length: 200 ft