

Thermal transfer printer - THERMOMARK CARD - 5146464

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Thermal transfer printer for cards

Why buy this product

- Maintenance-free operation with proven thermal transfer printing technology
- Easy to control with the CLIP PROJECT software
- High-quality, fast labeling. Printing time for one UniCard: just 8 seconds.
- Easy operating concept based on user-friendly touch screen entry
- The THERMOMARK CARD can print markers supplied in card format for terminal, conductor, cable, and device marking applications
- For all UniCard (UCT) and UniSheet (US) materials
- USB and Ethernet connections

Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 528795

Technical data

General

Interface	10/100 Mbps Ethernet
	USB 2.0
Weight	6.00 kg

Dimensions

Length	320.00 mm
Height	189.00 mm
Width	253.00 mm

Connection data

Minimum voltage	100 V AC
Max. voltage	240 V AC
Additional text	50 Hz ... 60 Hz

Thermal transfer printer - THERMOMARK CARD - 5146464

Classifications

eCl@ss

eCl@ss 4.0	24010402
eCl@ss 4.1	24010402
eCl@ss 5.0	19020207
eCl@ss 5.1	19020207
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	19140104
eCl@ss 9.0	19140104

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC001672
ETIM 5.0	EC001672

UNSPSC

UNSPSC 6.01	43172501
UNSPSC 7.0901	43212107
UNSPSC 11	43172501
UNSPSC 12.01	43212107
UNSPSC 13.2	43212107

Approvals

Approvals

Approvals

UL Listed / cUL Listed / IECCEB Scheme / CCC / EAC / EAC / cULus Listed

Ex Approvals

Approvals submitted

Approval details



Thermal transfer printer - THERMOMARK CARD - 5146464

Approvals

cUL Listed 

IECEE CB Scheme 

CCC

EAC

EAC

cULus Listed 

Phoenix Contact 2016 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>