



Extract from the online catalog

UVKB 4-FS/FS(8-2,8-0,8)

Order No.: 1953017



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1953017>

Feed-through modular terminal block, Type of connection: Slip-on connection, Width: 6.2 mm, Color: gray

Commercial data	
GTIN (EAN)	4017918052508
sales group	A001
Pack	50 pcs.
Customs tariff	85369010
Weight/Piece	0.01124 KG
Catalog page information	Page 405 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General	
Number of levels	2
Number of connections	4
Color	gray
Insulating material	PA
Inflammability class acc. to UL 94	V2

UVKB 4-FS/FS(8-2,8-0,8) Order No.: 1953017
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1953017>

Dimensions

Width	6.2 mm
Length	68 mm
Height NS 35/7,5	44 mm
Height NS 35/15	51.5 mm
Height NS 32	49 mm

Technical data

Maximum load current	32 A (dependent on the slip-on connection sleeve)
Rated surge voltage	8 kV
Pollution degree	3
Surge voltage category	III
Insulating material group	I
Nominal current I_N	32 A (dependent on the slip-on connection sleeve)
Nominal voltage U_N	800 V (voltage data for slip-on connections in acc. with EN 61210 are also dependent on nominal size, material, insulation of the sleeve and conductor cross section.)
Open side panel	ja

Connection data

Type of connection	Slip-on connection
Slip-on connection	6.3/2.8 x 0.8 mm

Certificates / Approvals



Certification DNV, GOST, UL


UL

Nominal voltage U_N	300 V
Nominal current I_N	25 A

UVKB 4-FS/FS(8-2,8-0,8) Order No.: 1953017
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1953017>

Diagrams/Drawings

Circuit diagram



- 1 = cover
- 2 = fixed bridge
- 3 = insertion bridge
- 4 = isolator bridge bar
- 5 = bridge bar isolator
- 6 = separating plate
- 7 = partition plate
- 8 = test plug socket

onlinecomponents.com

UVKB 4-FS/FS(8-2,8-0,8) Order No.: 1953017
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1953017>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact
Technical modifications reserved;

onlinecomponents.com