




44A0121-24-0/9-MX Product Details

[Share](#) | [Print](#) | [Email](#)


✔ Active

Spec 44, Spec 55 and Spec RCW Wire and Cable

44A0121-24-0/9

44A0121-24-0/9-MX ✔

TE Internal Number: 382312-009

Product Highlights [View All](#)

- Cable Type = Spec 44
- Wire Source = United States
- Cable Style = Primary
- Wire Size (AWG/CM) = 24 AWG
- Voltage Rating = 600 VAC

[Pricing & Availability](#) ➤

[Request Sample](#) ➤

[Add to My Part List](#) +

[Buy Product through Distributor](#) ➤

Feedback

[Documents](#) | [Features](#) | [Compliance](#)

Please Note:

Use the Product Drawing for all design activity

Product Type Features	Industry Standards														
<table border="1"> <tr> <td>Cable Type ?</td> <td>Spec 44</td> </tr> <tr> <td>Cable Style ?</td> <td>Primary</td> </tr> </table>	Cable Type ?	Spec 44	Cable Style ?	Primary	<table border="1"> <tr> <td>Government/Industry Qualification</td> <td>No</td> </tr> <tr> <td>RoHS/ELV Compliance ?</td> <td>RoHS compliant, ELV compliant</td> </tr> <tr> <td>Lead Free Solder Processes ?</td> <td>Not relevant for lead free process</td> </tr> <tr> <td>RoHS/ELV Compliance History</td> <td>Always was RoHS compliant</td> </tr> </table>	Government/Industry Qualification	No	RoHS/ELV Compliance ?	RoHS compliant, ELV compliant	Lead Free Solder Processes ?	Not relevant for lead free process	RoHS/ELV Compliance History	Always was RoHS compliant		
Cable Type ?	Spec 44														
Cable Style ?	Primary														
Government/Industry Qualification	No														
RoHS/ELV Compliance ?	RoHS compliant, ELV compliant														
Lead Free Solder Processes ?	Not relevant for lead free process														
RoHS/ELV Compliance History	Always was RoHS compliant														
<table border="1"> <tr> <th>Electrical Characteristics</th> </tr> <tr> <td>Voltage Rating (VAC)</td> <td>600</td> </tr> </table>	Electrical Characteristics	Voltage Rating (VAC)	600	<table border="1"> <tr> <th>Conditions for Usage</th> </tr> <tr> <td>Temperature Range (°C)</td> <td>-65 - +150</td> </tr> <tr> <td>Wire Size - Details</td> <td>24 AWG 0.24 mm², 0.00037 in², 19 x 36 AWG</td> </tr> </table>	Conditions for Usage	Temperature Range (°C)	-65 - +150	Wire Size - Details	24 AWG 0.24 mm ² , 0.00037 in ² , 19 x 36 AWG						
Electrical Characteristics															
Voltage Rating (VAC)	600														
Conditions for Usage															
Temperature Range (°C)	-65 - +150														
Wire Size - Details	24 AWG 0.24 mm ² , 0.00037 in ² , 19 x 36 AWG														
<table border="1"> <tr> <th>Dimensions</th> </tr> <tr> <td>Conductor Outer Diameter (mm [in])</td> <td>0.64 [0.025]</td> </tr> </table>	Dimensions	Conductor Outer Diameter (mm [in])	0.64 [0.025]	<table border="1"> <tr> <th>Operation/Application</th> </tr> <tr> <td>Application</td> <td>General Purpose - Light Weight</td> </tr> </table>	Operation/Application	Application	General Purpose - Light Weight								
Dimensions															
Conductor Outer Diameter (mm [in])	0.64 [0.025]														
Operation/Application															
Application	General Purpose - Light Weight														
<table border="1"> <tr> <th>Body Features</th> </tr> <tr> <td>Wire Size (AWG/CM)</td> <td>24 AWG</td> </tr> <tr> <td>Conductor Type</td> <td>Tin-Coated Copper</td> </tr> <tr> <td>Wire Color</td> <td>Black, White</td> </tr> <tr> <td>Nominal Outside Diameter (mm [in])</td> <td>2.03 [0.080]</td> </tr> <tr> <td>Wire Diameter (mm [in])</td> <td>1.02 [0.040]</td> </tr> </table>	Body Features	Wire Size (AWG/CM)	24 AWG	Conductor Type	Tin-Coated Copper	Wire Color	Black, White	Nominal Outside Diameter (mm [in])	2.03 [0.080]	Wire Diameter (mm [in])	1.02 [0.040]	<table border="1"> <tr> <th>Packaging Features</th> </tr> <tr> <td>Wire Source</td> <td>United States</td> </tr> </table>	Packaging Features	Wire Source	United States
Body Features															
Wire Size (AWG/CM)	24 AWG														
Conductor Type	Tin-Coated Copper														
Wire Color	Black, White														
Nominal Outside Diameter (mm [in])	2.03 [0.080]														
Wire Diameter (mm [in])	1.02 [0.040]														
Packaging Features															
Wire Source	United States														
<table border="1"> <tr> <th>Configuration Features</th> </tr> <tr> <td>Number of Conductors</td> <td>Twisted Pair</td> </tr> </table>	Configuration Features	Number of Conductors	Twisted Pair	<table border="1"> <tr> <th>Other</th> </tr> <tr> <td>Brand</td> <td>Raychem</td> </tr> <tr> <td>Node Classification</td> <td>Twisted Pair Cable</td> </tr> </table>	Other	Brand	Raychem	Node Classification	Twisted Pair Cable						
Configuration Features															
Number of Conductors	Twisted Pair														
Other															
Brand	Raychem														
Node Classification	Twisted Pair Cable														

Related Products

Not quite the product you're looking for?
[Find Similar Products](#)

[View Part in Product Feature Selector](#)

[Check for Tooling](#)