



Search by part # or keyword

Products

Industries & Solutions

Resources

TE Store

Sign In



Harnessing > Interconnect Devices > SolderSleeve Shield Terminators

# CWT-5-W122-9

CWT-5-W122-9



Raychem | Raychem CWT

TE Internal #: **573687-000**

TE Internal Description: **CWT-5-W122-9**

Alias #: **9-1194553-9**

Operating Temperature (Max) (°C): **125**

Expanded Inside Diameter (Min) : **4.3 mm [ .17 in ]**

Recovered Inside Diameter (Max) : **2 mm [ .079 in ]**

Pre-Installed Lead : **Yes**

Resistance Properties : **Splash Protection**

[Similar Products](#) | [Digital Datasheet](#)

### Compatible Parts & Tooling

### We are here to help!

Get in touch with our product experts.



CHAT WITH US



EMAIL US



CALL US

Feedback

#### Documents

#### Features

#### Product Compliance

Product Drawings

CWT-5-W122-9

[CWT-5-W122-9](#) English

Datasheets & Catalog Pages

1654025\_Sec8\_B-155\_CWT\_D-110\_D-1744

[ENG\\_CS\\_1654025\\_Sec8\\_B-155\\_CWT\\_D-110\\_D-1744\\_0313.pdf](#) English

Product Specifications

Product Specification

[ENG\\_SS\\_RT-1404\\_9.pdf](#) English

[ENG\\_SS\\_RPIP-824-00\\_G.pdf](#) English

Product Environmental Compliance

REACH Substance Communication Document

[ENG\\_PC\\_RSCD\\_Lead\\_HBCDD\\_Cadmium\\_1.pdf](#) English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Configuration Features

Pre-Installed Lead : **Yes**

Dimensions

Expanded Inside Diameter (Min) : **4.3 mm [ .17 in ]**

Recovered Inside Diameter (Max) : **2 mm [ .079 in ]**

Usage Conditions      Operating Temperature (Max) (°C): **125**  
Resistance Properties : **Splash Protection**  
Wire Temperature (Max) (°C): **105**

EU RoHS Directive 2011/65/EU      Substances: Cd, Pb

*This declaration covers EU Directive 2011/65/EU incl. Delegated Directive 2015/863/EU. The restrictions under 2015/863/EU apply as of 22 July 2021 for EEE categories 8 (medical devices) and 9 (monitoring and control equipment).*

EU ELV Directive 2000/53/EC      Substances: Cd, Pb

China RoHS 2 Directive MIIT Order No 32, 2016

部件名称 (Component Name)	有害物质 (Hazardous Substance)					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价 铬 (Cr6)	多溴联 苯 (PBB)	多溴二苯 醚 (PBDE)
573687-000 连接器系统 (Connector Systems)	X	O	X	O	O	O

本表格依据SJ/T 11364标准的规定编制。This table is compiled according to SJ/T 11364 standard.

O: 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572标准规定的限量要求以下。

Indicates that the concentration of the hazardous substance in all homogeneous materials of the part is below the relevant threshold of the GB/T 26572 standard.

X: 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572标准规定的限量要求。

Indicates that the concentration of the hazardous substance in at least one homogeneous material of the part is above the relevant threshold of the GB/T 26572 standard.

电子电气产品的环保使用期限依据SJ/T 11388标准的规定确定。  
The EFUP value of EEP is defined according to SJ/T 11388 standard.

EU REACH Regulation (EC) No. 1907/2006      Current ECHA Candidate List: **JUL 2019 (201)**  
Candidate List Declared Against: **JAN 2019 (197)**  
Cd (18% in Solder)  
Pb (32% in Solder)  
HBCDD (3% in Flux)

Halogen Content

Solder Process Capability      Not applicable for solder process capability

Statement of Compliance      [Statement of Compliance pdf](#)

Compliance Documents      There may be Environmental Compliance related documents on the [DOCUMENTATION Tab](#)

## Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Products with Similar Specs

[View All Similar Products](#)

### THIS PRODUCT

### TOP RESULTS

SOLDERSLEEVE SHIELD TERMINATORS

**CWT-5-W122-9**

CWT-5-W122-9



**In-Stock**

Operating Temperature (Max):  
**125 °C**  
Expanded Inside Diameter (Min):  
**4.3 mm**  
Recovered Inside Diameter (Max):  
**2 mm**  
Pre-Installed Lead: **Yes ...**

SOLDERSLEEVE SHIELD TERMINATORS

**CWT-5-S**

CWT-5-S



From **In-Stock**

Operating Temperature (Max):  
**125 °C**  
Expanded Inside Diameter (Min):  
**4.3 mm**  
Recovered Inside Diameter (Max):  
**2 mm**  
Pre-Installed Lead: **No ...**

SOLDERSLEEVE SHIELD TERMINATORS

**CWT-5**

CWT-5



From **In-Stock**

Operating Temperature (Max):  
**125 °C**  
Expanded Inside Diameter (Min):  
**4.3 mm**  
Recovered Inside Diameter (Max):  
**2 mm**  
Pre-Installed Lead: **No ...**

SOLDERSLEEVE SHIELD TERMINATORS

**CJ0769-000**

CWT-5-9030



**Non-Stocked**

Operating Temperature (Max):  
**125 °C**  
Expanded Inside Diameter (Min):  
**4.3 mm**  
Recovered Inside Diameter (Max):  
**2 mm**  
Pre-Installed Lead: **Yes ...**

Also in the Series | [Raychem CWT](#)



SolderSleeve Shield Terminators (27)



Splices (1)

[ABOUT TE CONNECTIVITY](#)

[FOR PARTNERS](#)

[SUPPORT](#)

[CALL US](#)

[LIVE CHAT](#)

[UNITED STATES \(EN\)](#)