

**VG K (standard plastic cable gland)
VG 9-K68**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Screwed joints that comply with the high demands of class of protection IP 68

General ordering data

Type	VG 9-K68
Order No.	1568980000
Version	VG K (standard plastic cable gland), Cable glands, PG 9, 8 mm, OD min. 4 - OD max. 8 mm, IP54, IP66, IP67, IP68 - 5 bar (30 min.), Polyamide 6
GTIN (EAN)	4008190136673
Qty.	50 pc(s).

Creation date August 17, 2020 4:11:02 PM CEST

Catalogue status 14.08.2020 / We reserve the right to make technical changes.

**VG K (standard plastic cable gland)
VG 9-K68**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data**Dimensions and weights**

Length	34.5 mm	Length (inches)	1.358 inch
Net weight	6 g		

Certificate numbers cable gland

Certificate no. cable gland (CSA)	115116	Certificate no. cable gland (GERMILLOYD)	E-14046
Certificate no. cable gland (UL)	E-199260	Certificate no. cable gland (cULus)	E-199260
Approval conditions	DNV, UL, cULus		

General information

Material	Polyamide 6	Cable glands	PG
External thread	PG 9	Length of thread	8 mm
AF size 1	19 mm	Protection degree	IP67, IP68 - 5 bar (30 min.)
Protection degree with GWDR	IP54, IP66, IP67, IP68 - 5 bar (30 min.)	Operating temperature range, min.	-40 °C
Operating temperature range, max.	100 °C	Outer cable diameter, min.	4 mm
Outer cable diameter, max.	8 mm	UL 94 flammability rating	V-2
Halogen	Yes	Seal insert	CR
Tightening torque	1.5 Nm	Torque for cap nut, min.	2 Nm
Torque for cap nut, max.	3 Nm	Torque for connecting adapter, min.	1.2 Nm
Torque for connecting adapter, max.	1.8 Nm		

Classifications

ETIM 6.0	EC000441	ETIM 7.0	EC000441
eClass 9.0	27-14-44-32	eClass 9.1	27-14-44-32
eClass 10.0	27-14-44-32	UNSPSC	30-21-18-01

Approvals

Approvals



ROHS Conform

Downloads

Brochure/Catalogue	CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP