

## ClipCard STR CC 30/60 TRANSPARENT

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Similar to illustration

ClipCard device markers in MultiCard format are used for labelling electrical installations and switchgear systems, and offer an interesting alternative to engraving. Thanks to the proven MultiCard format, labelling is possible with PrintJet PRO, the MCP Plus plotter, MCP Basis and MC-Mobilo.

- Highly resistant printing quality when using the PrintJet as a substitute for engraving
- Universal fixing
- Carrier (screwable or with cable ties)
- Tag rail (self-adhesive or screw fixing)
- Or self-adhesive tags

**For custom printing:** Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

### General ordering data

Type	STR CC 30/60 TRANSPARENT
Order No.	<a href="#">1934450000</a>
Version	ClipCard, Accessories, 30 x 60 mm, Transparent
GTIN (EAN)	4032248590988
Qty.	10 pc(s).

**ClipCard  
STR CC 30/60 TRANSPARENT**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Width	60 mm	Width (inches)	2.362 inch
Height	30 mm	Height (inches)	1.181 inch
Depth	0.5 mm	Depth (inches)	0.02 inch
Net weight	1.1 g		

**General data**

Colour	Transparent	Halogen	No
Material	PVC	Operating temperature range	-20...80 °C
Recommended industries	Machinery	UL 94 flammability rating	HB
Width	60 mm		

**Classifications**

ETIM 6.0	EC001288	ETIM 7.0	EC001288
eClass 9.0	27-40-06-29	eClass 9.1	27-40-06-29
eClass 10.0	27-40-06-29	UNSPSC	30-21-18-01

**Approvals**

ROHS	Conform
------	---------

**Downloads**

Engineering Data	<a href="#">WSCAD, EPLAN</a>
------------------	------------------------------

**Data sheet**

**ClipCard  
STR CC 30/60 TRANSPARENT**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

