


**Connecting elements
H0,5/14 ZH OR**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



- supplied loose in polybag
- Weidmüller colour code
- DIN colour code

General ordering data

| | |
|------------|--|
| Type | H0,5/14 ZH OR |
| Order No. | 9037200000 |
| Version | Wire-end ferrule, Twin wire-end ferrule, 11 mm, 8 mm, orange |
| GTIN (EAN) | 4008190492397 |
| Qty. | 500 pc(s). |
| Packaging | loose |

Data sheet

**Connecting elements
H0,5/14 ZH OR**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|---------|----------------|------------|
| Width | 14 mm | Width (inches) | 0.551 inch |
| Net weight | 0.095 g | | |

Technical data

| | |
|---------|-----------------------|
| Version | Twin wire-end ferrule |
|---------|-----------------------|

Wire-end ferrules

| | | | |
|---|------------|-----------------------------|---------------------|
| Collar height (A) | 5 mm | Collar width (B) | 3 mm |
| Colour code | Weidmüller | Conductor cross-section | 0.5 mm ² |
| Contact surface diameter (D1) | 1.4 mm | Contact surface length (L2) | 8 mm |
| L1 in mm | 14 mm | Metal sleeve thickness (S1) | 0.15 mm |
| Plastic collar thickness (S2) | 0.3 mm | Stripping length | 11 mm |
| Wire connection cross section AWG, max. | AWG 20 | | |

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC000005 | ETIM 7.0 | EC000005 |
| eClass 9.0 | 27-40-02-01 | eClass 9.1 | 27-40-02-01 |
| eClass 10.0 | 27-40-02-01 | UNSPSC | 31-16-31-02 |

Approvals

Approvals



| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|--------------------|--|
| Brochure/Catalogue | CAT 6 TOOLS 15/16 EN |
| Engineering Data | EPLAN, WSCAD, Zuken E3.S |
| Engineering Data | STEP |

Data sheet

Connecting elements
H0,5/14 ZH OR

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

Drawing

